




## MUM

Ergonomic chair for offices and working areas

### DIMENSIONS

|             |              |
|-------------|--------------|
| Height      | 1000-1100 mm |
| Seat height | 400-500 mm   |
| Width       | 660 mm       |
| Depth       | 660 mm       |
| Weight      | 17 kg        |



## DESCRIPTION

### Backrest

Ergonomic backrest with lumbar support adjustment.

### Seat

Injected plastic support with anatomical shapes covered with high-density foam and height adjustment.

### Base

4 stokes base finished in polished aluminium.

### Arms


Fixed arm finished in polished aluminium.

### Wheels

65 mm soft band chromed wheels or static glides.

### Upholstery

Tapicerías y mallas de alta calidad tanto con tejidos ignífugos como vinilos y pieles. Ver muestrarios.



*Respaldo tapizado*



*Brazos aluminio pulido*



*Base aluminio pulido*



*Ruedas dobles*



*Topes fijos*

The “MUM” model chair fulfils satisfactorily the following standards and regulations

**NEN 1812:00:** Ergonomics. Ergonomic requirements for office work chairs. Requirements for dimensions and design. Measurement and test methods.

The operative procedure on each test follows the NEN 1812:00 Dutch regulations.

## TEST

5.5. Requirements for dimensions. Dimensional control

B.2. Test nº1. Static load on seat and back

B.2. Test nº2. Static load on arm rests

B.2. Test nº3. Seat fatigue

B.2. Test nº4. Back fatigue

B.2. Test nº5. Impact fatigue test

B.2. Test nº6. Torsion fatigue test

B.2. Test nº7. Flexibility fatigue test

B.2. Test nº8. Stability Test

**NPR 1813:04:** Ergonomics. Ergonomic requirements for office work chairs. Requirements for dimensions and design. Measurement and test methods. UNE EN 1335:01.

## TEST

Annex A. Table A.1 – Requirements for dimensions. Dimensional control