


TIM

Swivel chair, with lumbar support adjustment and height adjustment



DIMENSIONS

Height	940-1060 mm
Seat Height	440-550 mm
Width	460 mm
Depth	650 mm
Weight	18 kg



DESCRIPTION

Backrest

Ergonomic backrest with lumbar support adjustment.

Seat

Injected plastic support with anatomical shapes covered with high-density foam.

Base

660 mm polyamide or polished aluminium base.

Upholstery

Backrest in mesh or upholstered, seat upholstered. High quality upholstery standards. See sample-book.

Arms

Several versions of adjustable arms in height and depth.
Type-2. Adjustable in height. Hard surface in polypropylene
Type-2B. Adjustable in height. Hard surface in white polypropylene
Type-3. 3D Adjustable in height, width, depth and rotation.

Wheels

50 mm soft band wheels. White optional.

Mechanism

Synchro mechanism with four stops plus depth system in the seat and anti-shock system.

Finish

Finished structure in black or white



Mesh backrest



Upholstered seat



Type 2



Type 2B White



Type 3



White finish



Black finish

STANDARDS

The chair “TIM” satisfactorily fulfils the following standards and regulations:

UNE EN 1335-1: 01 6. Dimensions. Detemination of dimensions

UNE EN 1335-2: 09 4. Safety Requirements

UNE EN 1335-2: 09 5. User information

UNE EN 1335-3: 09 7.1. Stability

UNE EN 1335-3: 09 7.2.1. Seat front edge static load test

UNE EN 1335-3: 09 7.2.2 Seat and backrest combined static load test

UNE EN 1335-3: 09 7.2.3. Armrest vertical static load – center point

UNE EN 1335-3: 09 7.3.1. Seat and backrest durability

UNE EN 1335-3: 09 7.3.2. Armrest – fatigue testing

UNE EN 1335-3: 09 7.3.5. Castor and chair base durability

UNE EN 1335-3: 09 7.4. Rolling Resistance